

ALFAMINO®

nestlehealthconnect.com.au/products/alfamino



ALFAMINO®

SIZE: 400g can (Carton contains 6 x 400g cans)

Available in 1 flavour

- Neutral

Alfamino® is an amino acid based infant formula specifically formulated for infants (0-12 months) with severe cow's milk protein allergy, eosinophilic oesophagitis, intestinal malabsorption and/or multiple food intolerances. Alfamino® is nutritionally complete and suitable as a sole source of nutrition from birth or supplementary feeding from 6 months of age to support healthy growth and development in formula fed infants.

IMPORTANT NOTICE: Breast milk is best for babies and provides ideal nutrition. Good maternal nutrition is important for the preparation and maintenance of breastfeeding. Introducing partial bottle feeding could negatively affect breastfeeding and reversing a decision not to breastfeed is difficult. Professional advice should be followed on infant feeding. Infant formula should be prepared and used exactly as directed or it could pose a health hazard. The preparation requirements and weekly cost of providing infant formula until 12 months of age should be considered before making a decision to formula feed.

Mothers should be encouraged to continue breastfeeding even when their infants have cow's milk protein allergy.

If a decision to use an infant formula for special dietary use is taken, it must be used under medical supervision.

ALFAMINO® is an Infant Formula Product for Special Dietary Use. Products are not suitable for general use. Infants over 6 months should be offered foods in addition to the Infant Formula Product.

Features

- Amino acid based infant formula for special dietary use
- Protein source is 100% free amino acids
- Contains Medium chain triglycerides (MCTs) (24% of total fat) to support fat absorption
- Contains specially designed structured lipids to help facilitate fat and calcium absorption
- Contains DHA and ARA

Energy Density = 0.66 kcal/ml = 2.8 kJ/ml

Energy Distribution

- Protein* 13.3g/100g (11% kcal)
- Carbohydrate - 55.3g/100g (45% kcal)
- Fat - 24.6g/100g (44% kcal)

Osmolality = 333 mOsm/kg water Osmolarity = 299 mOsm/L

*Represents the sum of added amino acids.

Clinical Indications

- Severe cow's milk protein allergy (including anaphylaxis)
- Eosinophilic oesophagitis (EoE)
- Multiple food protein allergy
- Severe intestinal malabsorption
- Intolerance to extensively hydrolysed formulas

CONSULT FEEDING TABLE ON THE CAN

Average Scoop Size = 4.4g

Preparation

1. Wash hands before preparing baby's formula.
2. Wash bottle, teat and cap thoroughly until no formula remains.
3. Boil for 5 min. Leave covered until use.
4. Boil drinking water for 5 min; allow to cool until lukewarm (approx 40°C).
5. Consult feeding table, pour exact amount of lukewarm water into boiled bottle.
6. Only use scoop from this can and level using the inner rim.
7. Consult feeding table, add exact number of level scoops for the age of baby. Replace lid firmly.
8. Shake bottle vigorously until powder fully dissolved, check temperature before feeding the baby. Feed immediately.
9. Close the can tightly after each use and store in a cool dry place, before and after opening.

WARNING: Follow instructions exactly. Prepare bottles and teats as directed. Do not change proportions of powder except on medical advice. Incorrect preparation can make your baby very ill.

WARNING: ONLY PREPARE ONE BOTTLE AT A TIME. CLEAN THE AREA WHERE YOU ARE GOING TO PREPARE THE BOTTLE. FEED IMMEDIATELY AND FOLLOW THE INSTRUCTIONS EXACTLY. DO NOT KEEP UNFINISHED BOTTLE, DISCARD UNUSED PORTION. ALWAYS HOLD BABY WHILE FEEDING. LEAVING BABY UNATTENDED MAY CAUSE CHOKING.

Storage: Remove cap, peel back foil seal. Store in a cool dry place and use within 3 weeks of opening.

Ingredients

Corn Syrup Solids, Vegetable Oil (Sunflower, Canola, Esterified Palm), Amino Acids (L-lysine acetate, L-leucine, L-proline, L-glutamine, L-arginine, L-valine, L-isoleucine, Glycine, L-threonine, L-serine, L-phenylalanine, L-tyrosine, L-aspartic acid, L-histidine, L-alanine, L-cystine, magnesium L-aspartate, L-tryptophan, L-methionine), Medium Chain Triglycerides, Potato Starch, Minerals (Calcium Glycerophosphate, Potassium Chloride, Sodium Citrate, Calcium Citrate, Potassium Citrate, Sodium Phosphate, Magnesium Oxide, Ferrous Sulphate, Zinc Sulphate, Copper Sulphate, Manganese Sulphate, Potassium Iodide, Sodium Selenate), Emulsifier [472c], Oligosaccharides (2'-Fucosyllactose, Lacto-N-neotetraose) (lactose), Mortierella alpina oil (ARA), Schizochytrium sp. oil (DHA), Vitamins (C, E, Niacin, Pantothenic Acid, B2, A, B1, B6, Folic Acid, K1, Biotin, D3, B12), Choline Bitartrate, Acidity Regulator (330), Inositol, Taurine, L-Carnitine.

Nutrition Information

Nutrition Information	Units	Per 100 g*	Per 100 mL*
Energy	kJ / kcal	2085 / 498	277 / 66
Protein** (11% kcal)	g	13.3	1.8
Fat (44% kcal)	g	24.6	3.3
of which:			
- Polyunsaturated fat	g	5.4	0.72
- Monounsaturated	g	9.1	1.2
- DHA	mg	80	10.6

Nutrition Information	Units	Per 100 g*	Per 100 mL*
- ARA	mg	80	10.6
- α -linolenic acid	g	0.4	0.06
- linoleic acid	g	4.6	0.61
- MCT	g	6	0.8
Carbohydrate (45% kcal)	g	55.3	7.3
of which:			
- sugars	g	4.4	0.6
Minerals			
Calcium	mg	540	72
Copper	μ g	400	53
Iodine	μ g	100	13
Iron	mg	5.0	0.7
Magnesium	mg	50	6.6
Manganese	μ g	75	10
Phosphorus	mg	360	49
Selenium	μ g	15	2
Zinc	mg	5.0	0.7
Chloride	mg	420	56
Potassium	mg	570	76
Sodium	mg	210	30
Vitamins			
Vitamin A	μ g RE	450	60
Vitamin B6	mg	0.4	0.1
Vitamin B12	μ g	3.5	0.5
Vitamin C	mg	90	12
Vitamin D	μ g	8	1.1
Vitamin E	mg α -TE	11	1.5
Vitamin K	μ g	50	6.6
Biotin	μ g	14	1.9
Niacin	mg	5.5	0.7
Folic acid	μ g	100	13
Pantothenic acid	mg	3.5	0.47
Riboflavin	mg	1.1	0.15
Thiamin	mg	0.47	0.06
Other nutrients			
Taurine	mg	43	5.7
L-Carnitine	mg	8.1	1.1
Choline	mg	52	7
Inositol	mg	55	7.3
2'-Fucosyllactose	mg	752	100
Lacto-N-neotetraose	mg	376	50

All trademarks are owned by Société des Produits Nestlé S.A., Vevey, Switzerland and used under license. ©2025 Nestlé.